		Performance report for SiT9386, 30.72 MHz, LVPECL		
SiTime	Type:	Performance report Rev: 1.0 Date: April 16, 201		
	Orig:		Date:	April 16, 2018

Performance report for SiT9386 - 30.72 MHz, LVPECL

Conditions:

- Frequency 30.72 MHz
- VDD: 2.5 V, 3.3 V
- Room temperature
- Termination:
 - \circ 50 Ω to VDD 2 V.


Equipment:

Model	Measurement / Purpose
Keysight DSA90604A (6 GHz,	Period jitter, differential voltage swing, rise/fall
20 Gsps)	time, duty cycle
Keysight 5052B Signal Source	Phase noise, integrated phase jitter
Analyzer	
Keysight 34980A	Power supply current
Keysight E3631A	Power supply
Keysight 53230A	Frequency

Test setup:

For waveform parameters measurement (rise/fall time, differential swing, duty cycle), both DUT outputs are terminated with 50 Ω to VDD - 2 V. Output signals are measured using Keysight 1134B active probe with Keysight N5425B probe head. All measurements are applied to the differential waveform. Figure 1 shows test setup diagram for waveform parameters measurement.

5451 Patrick Henry Drive	, Santa Clara,	California 95054	• 408.328.4400	 sitime.com
--------------------------	----------------	------------------	----------------	--------------------------------






Figure 1: Test setup for measuring waveform parameters (rise/fall time, differential swing, duty cycle)

For period jitter measurement output is terminated with 50 Ω to VDD – 2 V at the input of hi-speed comparator (ADCMP581). AC coupled comparator's output is connected to oscilloscope channel. Figure 2 shows test setup diagram for period jitter measurement.




Figure 2: Test setup for measuring period jitter

For phase noise measurements, differential signal is converted to single-ended using impedance matching transformer. Transformer's output is connected to measurement instrument. Output is also terminated with 30 Ω series at the source side. Figure 3 shows test setup diagram for phase noise measurement.

5451 Patrick Henry Drive, Santa Clara, California 95054 • 408.328.4400 • sitime.com	
---	--




Figure 3: Test setup for measuring phase noise.

For IDD measurement device output is floating. For frequency measurement differential-to-single-ended converter is used.

Data:

- Phase noise
- Integrated phase jitter
- RMS period jitter
- Peak-to-peak period jitter
- Rise/fall time
- Duty cycle
- Differential output swing
- IDD
- Frequency stability over temperature

Parameter		Voltage	
Falametei	Units	2.5 V	3.3 V
Integrated Phase jitter (1.875 MHz - 5 MHz)	fs, rms	81	81
Integrated Phase jitter (12 kHz - 5 MHz)	fs, rms	198	192
Period jitter	ps, rms	1.07	1.06
Period jitter (10,000 cycles)		8.37	8.24
Duty cycle		50.0	50.0
Rise time (20% - 80%)	ps	251	242
Fall time (80% - 20%)	ps	248	240
Differential voltage swing	V	1.59	1.58
Current consumption (no load, output enabled)	mA	75.5	75.7
Current consumption (no load, output disabled)	mA	50.0	50.0

Table 1: Summary performance data

5451 Patrick Henry Drive, Santa Clara, California 95054	54 • 408.328.4400 • sitime.com
---	--------------------------------

		Performance report for SiT9386, 30.72 MHz, LVPECL		
Si Time [®]	Туре:	Performance report	1.0	
	Orig:		Date:	April 16, 2018





Figure 4: Phase noise, 2.5 V

5451 Patrick Henry Drive, Santa Clara, California 95054	• 408.328.4400 • sitime.com
---	-----------------------------

		Performance report for SiT9386, 30.72 MHz, LVPECL		
Si Time [®]	Туре:	Performance report	1.0	
	Orig:		Date:	April 16, 2018



5451 Patrick Henry Drive, Santa Clara, California 95054	• 408.328.4400 • sitime.com
---	-----------------------------

		Performance report for SiT9386, 30.72 MHz, LVPECL		
	Type:	Performance report	Rev:	1.0
	Orig:		Date:	April 16, 2018



Figure 6: Output waveform, 2.5 V

5451 Patrick Henry Drive, Santa Clara, California 95054 • 408.328.4400 • sitime.	om
--	----


Si Time [®]		Performance report for SiT9386, 30.72 MHz, LVPECL		
	Type:	Performance report	Rev:	1.0
	Orig:		Date:	April 16, 2018




Figure 7: Output waveform, 3.3 V

5451 Patrick Henry Drive, Santa Clara,	California 95054 ·	408.328.4400	 sitime.com
--	--------------------	--------------	--------------------------------

Title:		Performance report for SiT9386, 30.72 MHz, LVPECL		
SiTime	Type:	Performance report	Rev:	1.0
	Orig:		Date:	April 16, 2018





*SiT9386 frequency stability is independent of output frequency.

5451 Patrick Henry Drive, Santa Clara, California 95054	• 408.328.4400 • sitime.com
---	-----------------------------

Title:		Performance report for SiT9386, 30.72 MHz, LVPECL		
SiTime	Type:	Performance report	Rev:	1.0
	Orig:		Date:	April 16, 2018




Figure 9: Frequency stability over temperature, 3.3 V

5451 Patrick Henry Drive, Santa Clara, California 95054	• 408.328.4400 • sitime.com
---	-----------------------------