| Si Time [*] | Title: | Performance Report SiT2018B, 9.84375MHz | | |
|-----------------------------|--------|---|-------|--------------|
| | Туре: | Performance report | Rev: | 1.0 |
| | Orig: | | Date: | Nov 25, 2014 |

This report contains sample performance data for SiT2018B-9.84375MHz.

Conditions:

- Frequency 9.84375 MHz
- Vdd 1.8V, 2.5V, 2.8V, 3.0V, 3.3V
- Temperature 25℃
- Termination:
 - No load for IDD
 - $\circ~~50\Omega$ to GND for phase noise
 - o 15pF for other tests

Equipment:

- Agilent DSA90604 oscilloscope (6GHz, 20Gsps)
 - Period jitter, waveform, rise/fall time, duty cycle, amplitude
- Agilent E5052B Signal Source Analyzer
- Phase noise, integrated phase jitter
- Power supply current
 - Agilent 34401A DMM

Data:

- Random Phase jitter, Period Jitter, Duty cycle, Rise/Fall time, Amplitude, Idd
- Output waveforms
- Frequency stability versus temperature

Table 1. Performance data

| Parameter | Units | Voltage | | | | |
|--|-----------|---------|-------|-------|-------|-------|
| | Units | | 2.5 V | 2.8 V | 3.0 V | 3.3 V |
| Period jitter | ps, rms | 1.86 | 1.62 | 1.59 | 1.58 | 1.54 |
| Period jitter (10,000 cycles) | ps, pk-pk | 15.1 | 12.7 | 12.2 | 12.4 | 12.1 |
| Duty cycle | % | 50.0 | 50.0 | 50.0 | 50.1 | 50.2 |
| Rise time (20% - 80%) | ns | 1.23 | 1.00 | 0.92 | 0.97 | 0.91 |
| Fall time (80% - 20%) | ns | 1.26 | 0.98 | 0.90 | 0.97 | 0.91 |
| Amplitude | V | 1.79 | 2.48 | 2.79 | 3.02 | 3.30 |
| Current consumption (no load, output enabled) | mA | 3.42 | 3.50 | 3.54 | 3.55 | 3.60 |
| Current consumption (no load, output disabled) | mA | 3.38 | 3.45 | 3.50 | 3.54 | 3.62 |

| Si Time [®] | Title: | Performance Report SiT2018B, 9.84375MHz | | |
|-----------------------------|--------|---|-------|--------------|
| | Туре: | Performance report | Rev: | 1.0 |
| | Orig: | | Date: | Nov 25, 2014 |



Figure 1. Duty cycle, Rise/Fall time and Amplitude 1.8V

The information contained in this document is confidential and proprietary to SiTime Corporation. Unauthorized reproduction or distribution is prohibited.

| Si Time [®] | Title: | Performance Report SiT2018B, 9.84375MHz | | |
|-----------------------------|--------|---|-------|--------------|
| | Туре: | Performance report | Rev: | 1.0 |
| | Orig: | | Date: | Nov 25, 2014 |



Figure 2. Duty cycle, Rise/Fall time and Amplitude 2.5V

| Si Time [®] | Title: | Performance Report SiT2018B, 9.84375MHz | | |
|-----------------------------|--------|---|-------|--------------|
| | Туре: | Performance report | Rev: | 1.0 |
| | Orig: | | Date: | Nov 25, 2014 |




Figure 3. Duty cycle, Rise/Fall time and Amplitude 2.8V

| Si Time [®] | Title: | Performance Report SiT2018B, 9.84375MHz | | |
|-----------------------------|--------|---|-------|--------------|
| | Туре: | Performance report | Rev: | 1.0 |
| | Orig: | | Date: | Nov 25, 2014 |



Figure 4. Duty cycle, Rise/Fall time and Amplitude 3.0V

| Si Time [®] | Title: | Performance Report SiT2018B, 9.84375MHz | | |
|-----------------------------|--------|---|-------|--------------|
| | Туре: | Performance report | Rev: | 1.0 |
| | Orig: | | Date: | Nov 25, 2014 |



Figure 5. Duty cycle, Rise/Fall time and Amplitude 3.3V

| Si Time [™] | Title: | Performance Report SiT2018B, 9.84375MHz | | |
|-----------------------------|--------|---|-------|--------------|
| | Type: | Performance report | Rev: | 1.0 |
| | Orig: | | Date: | Nov 25, 2014 |




Figure 6. Frequency stability* versus temperature

*Please note that frequency stability in SiTime devices is not depended on output frequency.